



Legislation Details (With Text)

**File #:** Int 0141-2018 **Version:** \* **Name:** Requiring that the roofs of city-owned buildings be partially covered in source control measures.

**Type:** Introduction **Status:** Filed (End of Session)

**In control:** Committee on Environmental Protection

**On agenda:** 1/31/2018

**Enactment date:** **Enactment #:**

**Title:** A Local Law to amend the New York city administrative code, in relation to requiring that the roofs of city-owned buildings be partially covered in source control measures

**Sponsors:** Stephen T. Levin, Justin L. Brannan, Mark Levine, Diana I. Ayala, Carlina Rivera, Helen K. Rosenthal, Kalman Yeger, Brad S. Lander

**Indexes:**

**Attachments:** 1. Summary of Int. No. 141, 2. Int. No. 141, 3. January 31, 2018 - Stated Meeting Agenda, 4. Hearing Transcript - Stated Meeting 01-31-2018, 5. Minutes of the Stated Meeting - January 31, 2018, 6. Committee Report 1/28/19, 7. Hearing Testimony 1/28/19, 8. Hearing Transcript 1/28/19

Date	Ver.	Action By	Action	Result
1/31/2018	*	City Council	Introduced by Council	
1/31/2018	*	City Council	Referred to Comm by Council	
1/28/2019	*	Committee on Environmental Protection	Hearing Held by Committee	
1/28/2019	*	Committee on Environmental Protection	Laid Over by Committee	
12/31/2021	*	City Council	Filed (End of Session)	

Int. No. 141

By Council Members Levin, Brannan, Levine, Ayala, Rivera, Rosenthal, Yeger and Lander

A Local Law to amend the New York city administrative code, in relation to requiring that the roofs of city-owned buildings be partially covered in source control measures

Be it enacted by the Council as follows:

Section 1. Chapter 2 of title 4 of the administrative code of the city of New York is amended by adding a new section 4-211 to read as follows:

§ 4-211 Installation of source control measures. The commissioner shall cause to be installed on the roofs of all real property owned by the city, a green roof system, as defined in section BC 1502 of the building code, or a detention system, as defined in section PC 202 of the plumbing code, or a combination of both. Such green roof system or detention system, or combination thereof, shall cover at least 50 percent of available roof

top space, excluding any space required to be kept open or unobstructed by the fire code or any space occupied by mechanical equipment, and shall be designed and installed in accordance with chapter 15 of the building code.

§ 2. This local law takes effect 180 days after it becomes law; provided, however, that the commissioner of citywide administrative services may take all actions necessary for its implementation, including the promulgation of rules, before such date.

EAA/GP (2016)/MMB (2017)  
LS # 7081 and 9063/Int 1325-2016  
NEW LS # 756  
12/21/17; 12:29 p.m.