



Legislation Details (With Text)

File #:	Int 0693-2022	Version:	*	Name:	Provision of sufficient receptacles for the storage of solid waste.
Type:	Introduction	Status:		In control:	Filed (End of Session) Committee on Sanitation and Solid Waste Management
On agenda:	9/14/2022				
Enactment date:		Enactment #:			
Title:	A Local Law to amend the administrative code of the city of New York, in relation to the provision of sufficient receptacles for the storage of solid waste				
Sponsors:	Public Advocate Jumaane Williams, Sandy Nurse, Farah N. Louis, Lincoln Restler, Shahana K. Hanif, Crystal Hudson, Gale A. Brewer, Julie Won, Jennifer Gutiérrez				
Indexes:					
Attachments:	1. Summary of Int. No. 693, 2. Int. No. 693, 3. September 14, 2022 - Stated Meeting Agenda, 4. Hearing Transcript - Stated Meeting 9-14-22, 5. Minutes of the Stated Meeting - September 14, 2022, 6. Committee Report 10/20/22, 7. Hearing Testimony 10/20/22, 8. Hearing Transcript 10/20/22				

Date	Ver.	Action By	Action	Result
9/14/2022	*	City Council	Introduced by Council	
9/14/2022	*	City Council	Referred to Comm by Council	
10/20/2022	*	Committee on Sanitation and Solid Waste Management	Hearing Held by Committee	
10/20/2022	*	Committee on Sanitation and Solid Waste Management	Laid Over by Committee	
12/31/2023	*	City Council	Filed (End of Session)	

Int. No. 693

By the Public Advocate (Mr. Williams) and Council Members Nurse, Louis, Restler, Hanif, Hudson, Brewer, Won and Gutiérrez

A Local Law to amend the administrative code of the city of New York, in relation to the provision of sufficient receptacles for the storage of solid waste

Be it enacted by the Council as follows:

Section 1. Subdivision a of section 16-120 of title 16 of the administrative code of the city of New York, as amended by local law 22 for the year 2002, is amended to read as follows:

a. The owner, lessee, agent, occupant or other person who manages or controls a building or dwelling shall provide and maintain in accordance with this section separate receptacles for the deposit of incinerator residue and ashes[:], refuse[,], and liquid waste. Any such owner, lessee, agent, occupant or other person who

manages or controls a building with 100 units or more shall also provide a dumpster of not less than 20 yards in length for the deposit of refuse. The receptacles shall be provided for the exclusive use of each building or dwelling and shall be of sufficient size and number to contain the wastes accumulated in such building or dwelling during a period of [seventy-two] 72 hours. The receptacles shall be made of metal or other material of a grade and type acceptable to the department, the department of health and mental hygiene and the department of housing preservation and development. Receptacles used for liquid waste shall be constructed so as to hold their contents without leakage. Metal containers shall be provided with tight fitting metal covers.

§ 2. This local law takes effect 180 days after it becomes law.

Session 12

JSA

LS #108

7/12/2022

Session 11

JJH/WCJ/NKA

LS #411

Int. #592-2018